



# CONSUMER CONFIDENCE REPORT 2013



The City of Port Hueneme (City) is committed to providing complete and accurate information regarding the safety of the water you drink. The California Department of Public Health (CDPH) requires the City to send an annual Consumer Confidence Report (CCR) to all customers regarding the water quality they received during the previous calendar year. The City tests its water as required by CDPH regulations and reports these results each month. Additionally, annual inspections of the operational policies and procedures at the City are conducted. All of this is done to ensure the safety of your drinking water.

This CCR summarizes the 2013 water quality test results performed by the City, United Water Conservation District (United), Port Hueneme Water Agency (PHWA), and Calleguas Municipal Water District (Calleguas). It also includes details about where your water comes from, what it contains, and how it compares to State standards. Water constituents are listed under the appropriate water quality standard and include the maximum contaminant level, federal maximum contaminant level goal or the California public health goal, and the range of results. Water testing is routinely performed for bacteria and protozoan, disinfectant residual, minerals, radioactivity, inorganic and organic chemicals, and other water quality parameters.

***Este informe contiene información muy importante sobre su agua de beber. Tradúzcalo o hable con alguien que lo entienda bien.***

## Where Does My Water Come From?

The City receives its water from the PHWA treatment plant. The PHWA provides treatment to groundwater that comes from United. United's water comes from groundwater located in the El Rio area of Ventura County. This water is pumped from shallow wells drilled into the Oxnard and Fox Canyon aquifers. These two aquifers, which are naturally high in minerals, are fed by the Santa Clara River drainage basin. The drainage basin receives water from various sources such as rivers, streams, wastewater treatment plants, and agricultural runoff.

In October 2002, United completed a source water assessment survey for their water sources. This assessment provides a survey of potential sources of contamination of the groundwater that supplies United's wells. Activities that constitute the highest risk are petroleum storage tanks and fueling operations, septic systems, and abandoned animal feedlots. Groundwater at United is vulnerable to contamination by MTBE, a gasoline additive. No

MTBE has been detected in United's wells. United continues to monitor the water quality. Copies of the source water assessment survey are available from United at 805-525-4431.

In December 2002, Metropolitan Water District of Southern California completed its source water assessment of its State Water Project supplies. State Water Project supplies are considered to be most vulnerable to urban/storm water runoff, wildlife, agriculture, recreation, and wastewater. A copy of the assessment can be obtained by contacting Metropolitan at 213-217-6850.

PHWA's water treatment plant uses two different types of state-of-the-art membrane filtration technologies to treat United's water. These desalination techniques are known as reverse osmosis (RO) and nano-filtration (NF). Three of these units operate side-by-side and each one produces between 1 and 1.5 million gallons of drinking water every day. The treatment process softens the water received from United by lowering the mineral content and minimizes the corrosiveness of the water through the addition of sodium hydroxide. In addition the water is disinfected using chloramines instead of chlorine. Chloramines have better taste, fewer odors, and reduces the formation of trihalomethane in the water, which is a known carcinogen.

**Fish Owners** – you should chemically remove the chloramines in the PHWA water when preparing your fish tank water. Failure to remove the chloramines could result in risk to the aquatic life in the tank.



State water imported by the Metropolitan Water District of Southern California (MWD) is also used at the PHWA treatment plant. MWD water comes from the Sierra Nevada Mountains in Northern California and is conveyed through the State Water Project's network of reservoirs, aqueducts, and pump stations. The State water is filtered and disinfected by MWD surface water treatment plants and brought into Ventura County by Calleguas. Calleguas brings the State water to the PHWA treatment plant where it is blended with the treated United water and then delivered to you. The blended water contains about 2.5 parts per million chloramines.

## Does my Water Meet EPA and State Standards? Is my Tap Water Safe to Drink?

Yes. Your water meets all USEPA (United States Environmental Protection Agency) and CDPH water quality standards. The City did not have any violations of any treatment, monitoring, or reporting requirements during 2013. None of the constituents in the drinking water exceeded the maximum contaminant levels or action levels set by the CDPH or USEPA. The tables in this report list all of the drinking water constituents that were detected during the most recent sampling period as required by the CDPH.

## Is Tap Water as Safe as Bottled Water?

The Food and Drug Administration (FDA), not the USEPA, regulates bottled water companies. The marketing of the bottled water companies has led consumers to believe that bottled water has higher quality standards than tap water. The FDA does not require bottled water companies to test for the same constituents (such as giardia and asbestos) that the USEPA requires for tap water. Also, the FDA does not have a prohibition on total coliform bacteria. Total coliform bacteria are prohibited in tap water. The FDA does not regulate bottled water companies that bottle and package water within the individual states. It is the responsibility of each state to regulate its bottled water companies. This accounts for 60-70% of all bottled water companies. Fortunately, California is one of the more progressive states, but as with most of the states, there is a lack of manpower, compared to that provided by USEPA for tap water, for the enforcement of bottled water regulations.



If you do drink bottled water, do the research and educate yourself on the quality of your bottled water. Many people are misled to think that their tap water is not high quality but, in actuality, it is bottled water, which is usually subject to less rigorous testing and purity standards.

## Why are Contaminants in my Water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791). In order to ensure that tap water is safe to drink, the USEPA and CDPH prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. CDPH regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and some infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The USEPA/Centers for Disease Control guidelines on appropriate means to lessen

the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, wastewater plants and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water before it is treated include the following:

- **Microbial Contaminants** – Viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations and wildlife.
- **Inorganic Contaminants** – Salts and metals, that can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- **Pesticides & Herbicides** – May come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- **Organic Chemicals** – Including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, agricultural application, and septic systems.
- **Radioactive Contaminants** – Can be naturally-occurring or be the result of oil and gas production and mining activities.

## Radon

Radon is a radioactive gas that you cannot see, taste or smell. It is found throughout the U.S. Radon can move up through the ground and into a home through cracks and holes in the foundation. Radon can build up to high levels in all types of homes. Radon can also get into indoor air when released from tap water from showering, washing dishes and other household activities. Compared to radon entering the home through soil, radon entering the home through tap water can produce a small source of radon in indoor air. Radon is a known human carcinogen. Breathing air containing radon can lead to lung cancer. Drinking water containing radon may also cause increased risk of stomach cancer. If you are concerned about radon in your home, you may test the air in your home. There are simple ways to fix a radon problem that are not too costly. For additional information, call the EPA's Radon Hotline (800-SOS-RADON).

## How Can I Get More Information?

For additional information or questions regarding this report, please contact Steven Hickox, the City of Port Hueneme's Water Superintendent, at 805-986-6566.

The public is always welcome to attend the City Council meetings, which are held the 1st and 3rd Mondays of each month at 6:30 p.m. at the City of Port Hueneme Civic Center located at 250 N. Ventura Road, Port Hueneme, CA. In addition, the public is welcome to attend the PHWA Board meetings. These are held quarterly on the 3rd Monday at 5:45 p.m. at the City of Port Hueneme Civic Center.



# City of Port Hueneme – 2013 Consumer Confidence Report (CCR)

| Parameter                                                                                                                | Units    | State MCL (MRDL)           | PHG (MCLG) (MRDLG) | State DLR | Range Average     | Purchased CMWD (Calleguas) | Purchased UWCD (United) | BWRDF (Blended)   | Major Sources in Drinking Water                                                  |
|--------------------------------------------------------------------------------------------------------------------------|----------|----------------------------|--------------------|-----------|-------------------|----------------------------|-------------------------|-------------------|----------------------------------------------------------------------------------|
| Percent of Supply                                                                                                        |          |                            |                    |           |                   | 48%                        | 52%                     | 100%              |                                                                                  |
| PRIMARY STANDARDS – Mandatory Health-Related Standards                                                                   |          |                            |                    |           |                   |                            |                         |                   |                                                                                  |
| CLARITY (a)                                                                                                              |          |                            |                    |           |                   |                            |                         |                   |                                                                                  |
| Combined Filter Effluent Turbidity                                                                                       | NTU      | Highest Single Value       |                    |           |                   | 0.01                       | 0.25                    | 0.20              | Soil runoff                                                                      |
|                                                                                                                          |          | TT = % of samples <0.3 NTU |                    |           |                   | 100%                       | 100%                    | 100%              |                                                                                  |
| MICROBIOLOGICAL                                                                                                          |          |                            |                    |           |                   |                            |                         |                   |                                                                                  |
| Total Coliform Bacteria*                                                                                                 | (b)      | 2 or 5.0%                  | (0)                | –         | Range Average     | 0.0%<br>0.0%               | 0.0%<br>0.0%            | 0.0%<br>0.0%      | Naturally present in the environment                                             |
| INORGANIC CHEMICALS                                                                                                      |          |                            |                    |           |                   |                            |                         |                   |                                                                                  |
| Aluminum                                                                                                                 | ppb      | 1000                       | 600                | 50        | Range Average     | 67-110<br>100              | ND<br>ND                | NA<br>NA          | Erosion of natural deposits; residue from some water treatment process           |
| Arsenic                                                                                                                  | ppb      | 10                         | 0.004              | 2         | Range Average     | ND<br>ND                   | 3-5<br>4                | NA<br>NA          | Erosion of natural deposits; runoff from orchards; electronics production wastes |
| Copper* (Sampled in 2011)                                                                                                | ppm      | AL = 1.3                   | 0.3                | 0.05      | Range Average     | ND<br>ND                   | ND<br>ND                | ND<br>ND          | Internal corrosion of household pipes; erosion of natural deposits               |
| Treatment-related Fluoride (c)*                                                                                          | ppm      | 2.0                        | 1                  | 0.1       | Range Highest RAA | 0.70-1.00<br>0.80          | 0.50-0.60<br>0.55       | 0.67-0.76<br>0.71 | Water additive that promotes strong teeth                                        |
| Lead* (Sampled in 2011)                                                                                                  | ppb      | AL=15                      | .2                 | 5         | Range Average     | ND<br>ND                   | ND<br>ND                | NA<br>NA          | Internal corrosion of household pipes; erosion of natural deposits               |
| Nitrate (as N)                                                                                                           | ppm      | 10                         | 10                 | 0.4       | Range Average     | ND<br>ND                   | 2.7-4.7<br>3.7          | 2.1-3.6<br>2.9    | Runoff & leaching from fertilizer use & sewage; erosion of natural deposits      |
| Nitrite (as N)                                                                                                           | ppm      | 1                          | 1                  | 0.4       | Range Average     | ND<br>ND                   | ND<br>ND                | NA<br>NA          | Runoff & leaching from fertilizer use & sewage; erosion of natural deposits      |
| Nitrate (as No3) (d)                                                                                                     | ppm      | 45                         | 45                 | 2         | Range Average     | 2.2<br>2.2                 | 9.9-27.1<br>17.5        | NA<br>NA          | Runoff & leaching from fertilizer use & sewage; erosion of natural deposits      |
| Selenium                                                                                                                 | ppb      | 50                         | 30                 | 5         | Range Average     | ND-5<br>5                  | 10-20<br>15             | NA<br>NA          | Discharge from refineries, mines and chemical manufacturers, runoff              |
| RADIOLOGICALS [analyzed every three years, for four consecutive quarters (MWD sampled 2011, CMWD sampled 2010 and 2011)] |          |                            |                    |           |                   |                            |                         |                   |                                                                                  |
| Gross Alpha Particle Activity                                                                                            | pCi/L    | 15                         | (0)                | 3.0       | Range Average     | ND<br>ND                   | 2.59-8.41<br>6.34       | NA<br>NA          | Erosion of natural deposits                                                      |
| Gross Beta Particle Activity (e)                                                                                         | pCi/L    | 50                         | (0)                | 4.0       | Range Average     | ND-4<br>ND                 | NA<br>NA                | NA<br>NA          | Decay of natural and manmade deposits                                            |
| Uranium                                                                                                                  | pCi/L    | 20                         | 0.43               | 1.0       | Range Average     | ND-2<br>1                  | NA<br>NA                | NA<br>NA          | Erosion of natural deposits                                                      |
| DISINFECTION BY-PRODUCTS AND DISINFECTANT RESIDUALS                                                                      |          |                            |                    |           |                   |                            |                         |                   |                                                                                  |
| Bromate (f)                                                                                                              | ppb      | 10                         | 0.1                | 1.0       | Range Highest RAA | 3.9-13.0<br>7.6            | NA<br>NA                | NA<br>NA          | By-product of drinking water disinfection                                        |
| Total Chlorine Residual*                                                                                                 | ppm      | (4.0)                      | (4)                | –         | Range Highest RAA | 1.60-2.60<br>2.20          | 1.35-2.40<br>1.93       | 2.28-2.78<br>2.64 | Drinking water disinfectant added for treatment                                  |
| Haloacetic Acids (g)*                                                                                                    | ppb      | 60                         | –                  | 1.0       | Range Highest RAA | ND-12.0<br>4.3             | ND-7.0<br>4.4           | 2.5-3.5<br>3.9    | By-product of drinking water disinfection                                        |
| Total Trihalomethanes (g)*                                                                                               | ppb      | 80                         | –                  | 1.0       | Range Highest RAA | 14.6-38.2<br>22.5          | 13.0-31.9<br>22.9       | 20.0-38.0<br>29.2 | By-product of drinking water chlorination                                        |
| SECONDARY STANDARDS – Aesthetic Standards                                                                                |          |                            |                    |           |                   |                            |                         |                   |                                                                                  |
| Odor Threshold                                                                                                           | TON      | 3                          | –                  | 1         | Range Average     | 3<br>3                     | ND<br>ND                | 2-4<br>3          | Naturally occurring organic materials                                            |
| Specific Conductance                                                                                                     | µS/cm    | 1,600                      | –                  | –         | Range Average     | 520-540<br>530             | 1360-1470<br>1413       | 540-590<br>565    | Substances that form ions when in water; seawater influence                      |
| Sulfate                                                                                                                  | ppm      | 500                        | –                  | 0.5       | Range Average     | 44-51<br>48                | 440-580<br>499          | 119-130<br>125    | Runoff/leaching from natural deposits; industrial wastes                         |
| Total Dissolved Solids                                                                                                   | ppm      | 1,000                      | –                  | –         | Range Average     | 280-300<br>290             | 960-1060<br>1013        | 340-370<br>355    | Runoff/leaching from natural deposits                                            |
| ADDITIONAL PARAMETERS (Unregulated)                                                                                      |          |                            |                    |           |                   |                            |                         |                   |                                                                                  |
| Boron                                                                                                                    | ppm      | NL = 1                     | –                  | 0.1       | Range Average     | .16<br>.16                 | .60-.70<br>.65          | .66-.69<br>.68    |                                                                                  |
| Chlorate                                                                                                                 | ppb      | NL = 800                   | –                  | 20        | Range Average     | 25<br>25                   | NA<br>NA                | NA<br>NA          |                                                                                  |
| Chromium (Total)                                                                                                         | ppb      | 50                         | NONE               | 10        | Range Average     | ND<br>ND                   | 0<br>0                  | NA<br>NA          |                                                                                  |
| Corrosivity (h)                                                                                                          | AI       | NS                         | –                  | –         | Range Average     | 12.0<br>12.0               | NA<br>NA                | 11.0<br>11.0      |                                                                                  |
| Hardness (Total Hardness)                                                                                                | ppm      | NS                         | –                  | –         | Range Average     | 110-120<br>110             | 574-609<br>592          | 156-180<br>168    |                                                                                  |
| N-Nitrosodimethylamine (NDMA)                                                                                            | ppt      | NL = 10                    | –                  | –         | Range Average     | ND-5<br>3                  | NA<br>NA                | NA<br>NA          |                                                                                  |
| pH                                                                                                                       | pH Units | NS                         | –                  | –         | Range Average     | 8.2-8.4<br>8.3             | 7.5-7.6<br>7.6          | 7.9-8.0<br>7.9    |                                                                                  |
| Potassium                                                                                                                | ppm      | NS                         | –                  | –         | Range Average     | 3.0<br>3.0                 | 5.0-6.0<br>5.5          | 2.5-2.7<br>2.6    |                                                                                  |
| Radon                                                                                                                    | pCi/L    | NS                         | –                  | 100.0     | Range Average     | ND<br>ND                   | 319-412<br>370          | NA<br>NA          |                                                                                  |
| Sodium                                                                                                                   | ppm      | NS                         | –                  | –         | Range Average     | 57-60<br>58                | 96-96<br>96             | 54-59<br>57       |                                                                                  |
| Total Organic Carbon                                                                                                     | ppm      | TT                         | –                  | 0.3       | Range Average     | 1.8-2.0<br>1.9             | 0.8-2.1<br>1.3          | NA<br>NA          |                                                                                  |
| Vanadium                                                                                                                 | ppb      | NL = 50                    | –                  | 3         | Range Average     | 3.2<br>3.2                 | NA<br>NA                | NA<br>NA          |                                                                                  |

– Abbreviations and Terms used in this report are listed on the next page –



City of Port Hueneme  
250 N. Ventura Road  
Port Hueneme, CA 93041

## POSTAL CUSTOMER

PRSRT STD  
U.S. POSTAGE  
**PAID**  
Permit No. 634  
Oxnard, CA

ECRWSS

# WATER QUALITY REPORT 2013

## Abbreviations & Notes

|                                                                             |                                                                                                                                  |
|-----------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| AI = Aggressiveness Index                                                   |                                                                                                                                  |
| AL= Federal Regulatory Action Level                                         |                                                                                                                                  |
| DLR = Detection Limits for Purposes of Reporting                            |                                                                                                                                  |
| MFL = Million Fibers per Liter                                              |                                                                                                                                  |
| $\mu\text{S}/\text{cm}$ = MicroSiemen per Centimeter                        |                                                                                                                                  |
| MPN = Most Probable Number                                                  |                                                                                                                                  |
| NA = Not Analyzed                                                           |                                                                                                                                  |
| ND = None Detected                                                          |                                                                                                                                  |
| NL = Notification Level                                                     |                                                                                                                                  |
| * = Samples Taken from the Distribution System                              |                                                                                                                                  |
| NS = No Standard                                                            |                                                                                                                                  |
| NTU = Nephelometric Turbidity Units                                         |                                                                                                                                  |
| pCi/L = PicoCuries per Liter                                                |                                                                                                                                  |
| ppm = Parts per Million, or Milligrams per Liter (mg/L)                     |                                                                                                                                  |
| ppb = Parts per Billion, or Micrograms per Liter ( $\mu\text{g}/\text{L}$ ) |                                                                                                                                  |
| ppt = Parts per Trillion, or Nanograms per Liter (ng/L)                     |                                                                                                                                  |
| ppq = Parts per Quadrillion, or Picograms per Liter (pg/L)                  |                                                                                                                                  |
| RAA = Running Annual Average                                                |                                                                                                                                  |
| TON = Threshold Odor Number                                                 |                                                                                                                                  |
| CMWD (Calleguas)                                                            | Calleguas Municipal Water District<br>Surface Water Source                                                                       |
| UWCD (United)                                                               | United Water Conservation District                                                                                               |
| BWRDF (Blended)                                                             | Brackish Water Reclamation Demonstration<br>Facility (BWRDF) – Samples taken after<br>Calleguas and United sources were blended. |

**Maximum Contaminant Level (MCL):** The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

**Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency.

**Public Health Goal (PHG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

**Primary Drinking Water Standard (PDWS):** MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

**Maximum Residual Disinfectant Level (MRDL):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**Maximum Residual Disinfectant Level Goal (MRDLG):** The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

**Treatment Technique (TT):** A required process intended to reduce the level of a contaminant in drinking water.

**Regulatory Action Level (RAL):** The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.



- The turbidity level of the filtered water shall be less than or equal to 0.3 NTU in 95% of the measurements taken each month and shall not exceed 1.0 NTU at any time.
- Total coliform MCLs: No more than 5.0% of the monthly samples may be total coliform positive (or 2 samples if a system collects less than 40 samples per month). Calleguas collects less than 40, Metropolitan collects greater than 40. Fecal coliform/E. coli MCLs: The occurrence of 2 consecutive total coliform positive samples, one of which containing fecal coliform/E. coli, constitutes an acute MCL violation. These MCLs were not violated in 2013.
- The Metropolitan Water District treats their water by adding fluoride to the naturally occurring level in order to help prevent dental cavities in consumers. The fluoride levels in the treated water are maintained within a range of 0.7–1.3 ppm, as required by Department regulations.
- State MCL is 45 mg/L as Nitrate, which equals 10.16 mg/L as Nitrogen.
- The gross beta particle activity MCL is 4 millirem/year annual dose equivalent to the total body or any internal organ. The screening level is 50 pCi/L.
- Compliance for treatment plants that use ozone is based on a running annual average of monthly samples. UWCD water is not subject to these requirements.
- Compliance is based on a running annual average of quarterly distribution system samples.
- AI measures the aggressiveness of water transported through pipes. Water with  $\text{AI} < 10.0$  is highly aggressive and would be very corrosive to almost all materials found in a typical water system.  $\text{AI} \geq 12.0$  indicates non-aggressive water. AI between 10.0 and 11.9 indicates moderately aggressive water.

The State allows us to monitor for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old.

### For Lead and/or Copper

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Port Hueneme is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at [www.epa.gov/safewater/lead](http://www.epa.gov/safewater/lead).